



TOMIGUNN VAPOR

HIGH-PRESSURE STEAM CLEANERS

TOMIGUNN VAPOR 3

The TOMIGUNN VAPOR 3 portable, propane-fired, steam cleaner is designed to clean small areas with steam under pressure. This unit produces a maximum output temperature of 350°F/ 176°C and pressures of 250PSI/17 bar. The TOMIGUNN VAPOR 3 is compact, lightweight and uses only 1.5 gallons per minute of water. Our propane steam cleaners are clean burning (USDA allowable), which make for an environmentally friendly and safe workplace without the use of harmful chemicals. The TOMIGUNN VAPOR 3 is equipped with safety features including electronic pilot ignition, high temperature limit switch, pressure relief valve and flow switch. This unit is easy to use and transportable.

Product Information

Maximum Output Temperature: 350°F/176°C

Output Pressure: 250 PSI/17 bar

Water Volume: 1.5 GPM

Fuel: L.P. Gas

Burner Output: 130,000 BTU/hr.

Electrical Requirements: 115VAC, 6.8 Amps, 220VAC, 3.5 Amps,
50/60 Hz

Dimensions: 23" x 18" x 32"

Weight: 95 lbs.

Safety Features

Electronic Pilot Ignition

High Temperature Limit Switch

Pressure Relief Valve

Flow Switch



TOMIGUNN VAPOR is a propane-operated high-pressure steam cleaner. It is available in 250, 600, and 1300 PSI models.

CALL US FOR MORE INFO



+1 864 705 3653



info@tomigunn.com



TOMIGUNN.COM



TOMIGUNN VAPOR

HIGH-PRESSURE STEAM CLEANERS

TOMIGUNN VAPOR 3

Included Items/Features

Powder Coated, Painted, Blue Body
Aluminum Coils
(1) Blast Nozzle (.03 For 1300/600 / .06 For 250)
(1) Fuel Pressure Gauge
(1) L.P. Gas Quick Connect
(1) Main Propane Regulator
(1) 5 Ft. Wand w/Trigger Gun
(1) Fan Nozzle – VAPOR 3
(1) 50 ft High Pressure Steam Hose

Optional Accessories

Garden Hose Fitting Washer
Garden Hose Fitting
Snub Nose Wand
Hose Coupler – Male
Hose Coupler – Female
3/8" Plug For Hose End
Water Inlet Filter
Inline Water Softener W/ One Filter
Water Softener Filter

TOMIGUNN VAPOR 6

The propane-fired TOMIGUNN VAPOR 6 high pressure steam cleaner is the same physical size as TOMIGUNN VAPOR 3 but has more than double the pressure. As a result, the TOMIGUNN VAPOR 6 provides the most cleaning power for its size. This clean burning, compact, propane-operated steam cleaner provides high pressure (600 PSI/ 41 bar), combined with adjustable high temperatures (max. 350°F/ 176°C), and low water volume to clean and de-grease all the while maintaining EPA standards and a safe working environment.

The TOMIGUNN VAPOR 6 is equipped with safety features including a flow switch, pressure relief valve, electronic pilot ignition, and high temperature limit switch. The propane fired units require 115 VAC, 6.8 amps or 220 VAC, 3.5 amps. These units should be used with heavy duty extension cords.

Product Information

Maximum Output Temperature: 350°F/176°C
Output Pressure: 600 psi/41 bar
Water Volume: 1.5 GPM
Fuel: L.P. Gas

Burner Output: 130,000 btu/hr.
Electrical Requirements: 115VAC, 6.8 Amps, 220VAC,
3.5 Amps, 50/60 Hz
Dimensions: 23" x 18" x 32"
Weight: 100 lbs.

[CALL US FOR MORE INFO](#)



+1 864 705 3653



info@tomigunn.com



TOMIGUNN.COM



TOMIGUNN VAPOR

HIGH-PRESSURE STEAM CLEANERS

TOMIGUNN VAPOR 6

Included Items/Features

- Powder Coated, Painted, Blue Body
- Aluminum Coils
- (1) Blast Nozzle (.03 For 1300/600 / .06 For 250)
- (1) Fuel Pressure Gauge
- (1) L.P. Gas Quick Connect
- (1) Main Propane Regulator
- (1) 5 Ft. Wand w/Trigger Gun
- (1) 100 ft High Pressure Steam Hose

Optional Accessories

- Garden Hose Fitting Washer
- Garden Hose Fitting
- Snub Nose Wand
- Hose Coupler – Male
- Hose Coupler – Female
- 3/8" Plug For Hose End
- 4 Ft. Lance Uninsulated Bar
- Water Inlet Filter
- Inline Water Softener W/ One Filter
- Water Softener Filter

Safety Features

- Electronic Pilot Ignition
- High Temperature Limit Switch
- Pressure Relief Valve
- Flow Switch



Accessories for the TOMIGUNN VAPOR steam cleaners.

CALL US FOR MORE INFO



+1 864 705 3653



info@tomigunn.com



TOMIGUNN.COM



TOMIGUNN VAPOR

HIGH-PRESSURE STEAM CLEANERS

TOMIGUNN VAPOR 9

The TOMIGUNN VAPOR 9 commercial propane-fired steam cleaner is the largest of the three propane cleaners. The unit only requires 115 VAC, and it will still give a powerful cleaning performance just like the professionals. The TOMIGUNN VAPOR 9 is recommended for areas over 1,000 square feet or a large amount of equipment that would require cleaning. Combining high pressure, high temperature and low water volume, our TOMIGUNN VAPOR 9 allows you to clean places both inside and out.

The TOMIGUNN VAPOR 9 propane-fired steam cleaner is clean burning and can be used with or without chemicals for the toughest of cleaning jobs. The unit has low water volume (2.2 g.p.m.), maximum temperatures of 350°F/ 176°C and the output pressure is a robust 1300 PSI/ 85 bar. As with all of the propane units, the safety features include an electronic pilot ignition, high temperature limit switch, pressure relief valve and flow switch.

Product Information

Maximum Output Temperature: 350°F/176°C
Output Pressure: 1300 PSI/85 bar
Water Volume: 2.2 GPM
Fuel: L.P. Gas
Burner Output: 200,000 BTU/hr.
Electrical Requirements: 115VAC, 13 Amps, 220VAC, 7 Amps,
50/60 Hz
Dimensions: 28" x 24" x 36"
Weight: 195 lbs.

Safety Features

Electronic Pilot Ignition
High Temperature Limit Switch
Pressure Relief Valve
Flow Switch

Included Items/Features

Powder Coated, Painted, Blue Body
Aluminum Coils
(1) Blast Nozzle (.03 For 1300/600 / .06 For 250)
(1) Fuel Pressure Gauge
(1) L.P. Gas Quick Connect
(1) Main Propane Regulator
(1) 5 Ft. Wand w/Trigger Gun
(1) 100 ft High Pressure Steam Hose

Optional Accessories

Garden Hose Fitting Washer
Garden Hose Fitting
Garden Hose Fitting Washer
Garden Hose Fitting

CALL US FOR MORE INFO



+1 864 705 3653



info@tomigunn.com



TOMIGUNN.COM



TOMIGUNN VAPOR

HIGH-PRESSURE STEAM CLEANERS

Optional Accessory

PowerDrive 3000-Watt Power Inverter

In addition to offering the TOMIGUNN VAPOR propane-fired high-pressure steam cleaner, we are introducing the Power Drive PWD3000P power inverter as an optional accessory. This inverter provides 3000 watts of continuous power with a surge capacity of up to 6000 watts for starting devices.

It includes four three-prong AC outlets, a USB-A port, and a USB-C port, offering versatility for powering various electronics and devices simultaneously. Equipped with high and low voltage protection, over-temperature protection, and overload protection, the inverter ensures safe operation in different conditions. A removable LCD screen and Bluetooth wireless technology allow for easy monitoring and control from a distance. This accessory enhances the functionality of the VAPOR by providing portable power for additional equipment or tools, extending its usability in various applications.

Product Information

Includes PWD3000P power inverter, 36" extension cable, two 36" power cables, remote control, and manual
3000W continuous power; 6000W surge capacity to start
Four three-prong AC outlet
USB-A port
USB-C port
Removable LCD screen
High and low voltage over-temp and overload protection
Bluetooth wireless technology
Measures approximately 15.73" x 10.94" x 4.25"; Cord 36"



CALL US FOR MORE INFO



+1 864 705 3653



info@tomigunn.com



TOMIGUNN.COM